

1/1379500/2023



GADT/TECH/RTI/APP/573/2023-TECH and LEGAL O/O COMMR-CGST-ADT-I-KOLKATA  
GOVERNMENT OF INDIA  
आयुक्तकाकार्यालय  
OFFICE OF THE COMMISSIONER  
केंद्रीय माल और सेवाकर, कोलकाता लेखा परीक्षा- I आयुक्तालय,  
CGST & CX, KOLKATA AUDIT-I COMMISSIONERATE,  
जीएसटी भवन, 6 वी मंजिल, 180, शांतिपल्ली, राजदांगा मैन रोड, कोलकाता- 700107  
GST BHAWAN, 6<sup>th</sup> Floor, 180, SHANTIPALLY, RAJDANGA MAIN ROAD,  
KOLKATA-700107, Phone no-033-2441-0114



उद्देशिका//समयसीमा- आरटीआईविषय : TIME BOUND- RTI MATTER//

प्रस्तावना

सूचना का अधिकार अधिनियम, 2005 की धारा 19(1) के तहत, आवेदक, यदि इस आदेश से व्यथित है, तो इस आदेश की प्रामि से तीस दिनों (30 दिनों) के भीतर अपीलीय प्राधिकारी को अपील कर सकता है। अतिरिक्त आयुक्त सीजीएसटी और सीएक्स, कोलकातालेखापरीक्षा-I आयुक्तालय, कोलकाता इस आदेश की प्रामि की तारीख से 30 दिनों के भीतर।

PREAMBLE

Under Section 19 (1) of the Right to Information Act, 2005, the applicant, if aggrieved by this order, can prefer an appeal within **thirty days (30 days) from the receipt of this order** to the Appellate Authority i.e. Additional Commissioner CGST & CX, Kolkata Audit-I Commissionerate, Kolkata within 30 days from the date of receipt of this order.

कार्यालय पंजीकरण संख्या 43/कोल लेखा परीक्षा-I/आरटीआई/2022-23 दिनांक 01.06.2023

आदेश पारित श्री रजत घोष, सहायक आयुक्त, सीपीआईओ, केंद्रीय कर आयुक्त का कार्यालय, सीजीएसटी और सीएक्स ऑडिट- I कमिशनरी, कोलकाता।

Office Registration No.43/Kol Audit- I/RTI/2022-23 dated 01.06.2023

Order passed by Shri. RAJAT GHOSH, Assistant Commissioner, CPIO, Office of the Commissioner of Central Tax, CGST & CX Audit-I Commissionerate, Kolkata

संदर्भ: श्री मनीष कुमार द्वारा दायर आरटीआई अधिनियम, 2005 - दिनांक 26.05.2023- पंजीकरण संख्या GSTKT/R/T/23/00130 dated 26.05.2023 - के तहत सहायक आयुक्त (सीपीआईओ) प्रधान मुख्य आयुक्त कार्यालय, कोलकाता जोन से दिनांक 01.06.2023 को प्राप्त हुआ। - के संबंध में ..

Ref: RTI Act, 2005 - dated 26.05.2023 filed by Shri SHRI MANISH KUMAR - Received from Assistant Commissioner (CPIO) Principle Chief Commissioner Office , Kolkata Zone on 01.06.2023 under Registration No. GSTKT/R/T/23/00130 dated 01.06.2023 - reg..

\*\*\*\*

The point wise reply in respect of Audit-I-Commissionerate, Kolkata in relation with your RTI application is as under:

1. Yes
2. Yes the AC machines installed in Kolkata Audit-I Comm'te are energy efficient as per norms of BEE.
3. No such instance
4. The outdoor units of Air Conditioners are installed outside of the office building walls.
5. No such instance.
6. No such instance
7. There is no laid down guidelines.
8. No such instance

आपका आभारी, /Yours faithfully,

Signed by

(Rajat Ghosh)  
(RAJAT GHOSH)

सी.पी.आई.ओ. सहायक आयुक्त  
Date: 19-06-2023 17:45:57

CPIO & Assistant Commissioner

कोलकाता ऑडिट - I- कमिशनरी, सीजीएसटी एवं सीएक्स  
आयुक्तालय, कोलकाता  
Kolkata Audit - I, CGST & CX Commissionerate

To,  
Shri MANISH KUMAR,

I/1345171/2023



भारतसरकार

GOVERNMENT OF INDIA  
प्रधान मुख्य आयुक्त का कार्यालय

OFFICE OF THE PRINCIPAL CHIEF COMMISSIONER

केन्द्रीय वस्तु एवं सेवा कर, कोलकाता क्षेत्र

CENTRAL GOODS AND SERVICES TAX AND CENTRAL EXCISE, KOLKATA ZONE

केन्द्रीय वस्तु एवं सेवा कर भवन, दुसरा तल, 180, शांतिपल्ली, आर. बी. कनेक्टर, कोलकाता - 700 107

GST Bhawan (2<sup>nd</sup> Floor), 180 Shanti Pally, R. B. Connector, Kolkata - 700 107

Phone No. 033-2441-6797/6842; Fax No. 033-2441-6834/6798

F. No. GCCO/RTI/APP/327/2023-RTI-O/o. Pr CC-CGST-ZONE-Kolkata/

Date: .05.2023.

S870-81 01/06/2023

To,

The CPIO,

Kolkata North/Kolkata South/Howrah/Haldia/Siliguri/Bolpur/

✓ Audit-I/Audit-II/Durgapur Audit/Kolkata Appeals-I/Kolkata Appeals-II/

Siliguri Appeals.

CGST &amp; CX Commissionerate.

Madam/Sir,

**Sub: Transfer of RTI Application filed by Shri Manish Kumar,****under Section 6(3) Right to Information Act, 2005- reg.**Please find enclosed herewith a copy of RTI application having Registration No GSTKT/R/T/23/00130 dated 26.05.2023 filed online by **Shri Manish Kumar,**

being transferred under Sec. 6(3) of the RTI Act, 2005 from CBIC on 26.05.2023 via reference no. CBECE/R/T/23/00708 and received by this office on 26.05.2023, seeking information under RTI Act, 2005.

In this regard, it is to inform you that the information sought vide the aforesaid RTI application is likely to be available with your office. Accordingly, the RTI application is hereby transferred to your office in accordance with the provisions of Section 6(3) of the RTI Act, 2005 with request to send the information directly to the applicant under intimation to this office. In case, any point/issue of the application does not pertain to your jurisdiction and pertains to another office, kindly transfer the same to the concerned CPIO.

Yours faithfully,

Signed by Banavathula

Krishna

Date: 31-05-2023 11:08:29

Reason: (B. Krishna)

Approved Assistant Commissioner (CPIO)

**Pr. CCO, CGST & CX, Kolkata Zone**

Encl: As Above.

F. No. GCCO/RTI/APP/327/2023-RTI-O/o. Pr CC-CGST-ZONE-Kolkata/  
Copy for information to:-

Date: .05.2023.

**1. Shri Manish Kumar,**

Sir, in case of filing RTI first appeal, you are requested to apply it directly before the First Appellate Authority of the Commissionerate where your RTI application is being transferred u/s. 6(3) of the RTI Act, 2005 as this office cannot transfer RTI First Appeal application to another First Appellate Authority [Reference: The FAA, CIC in the matter of Sri Freddy Pareira file No. CIC/AA/A/2013/22-Decision dated 23/02/2013].

2. The CPIO, Central Board of Indirect Taxes & Customs, Ground Floor, Hudco Vishala Building, Bhikaji Cama Place, R.K. Puram, New Delhi - 110066.

1444

01/06/23

### RTI REQUEST DETAILS

<b>Registration No. :</b> GSTKT/R/T/23/00130		<b>Date of Receipt :</b> 26/05/2023	
<b>Transferred From :</b> Central Board of Excise and Customs - Central Excise on 26/05/2023 With Reference Number : CBECE/R/T/23/00708			
<b>Remarks :</b> Pertains to Your Zone/section			
<b>Type of Receipt :</b>	Electronically Transferred from Other Public Authority	<b>Language of Request :</b>	English
<b>Name :</b>	MANISH KUMAR	<b>Gender :</b>	Male
<b>Address</b>			
<b>State :</b>		<b>Country :</b>	India
<b>Phone No. :</b>	Details not provided	<b>Mobile No. :</b>	
<b>Email :</b>			
<b>Status(Rural/Urban) :</b>	Rural	<b>Education Status :</b>	Graduate
<b>Letter No. :</b>	Details not provided	<b>Letter Date :</b>	Details not provided
<b>Is Requester Below Poverty Line ? :</b>	No	<b>Citizenship Status</b>	Indian
<b>Amount Paid :</b>	0 (Received by Central Board of Excise and Customs - Central Excise)	<b>Mode of Payment</b>	Payment Gateway
<b>Does it concern the life or Liberty of a Person ? :</b>	No(Normal)	<b>Request Pertains to :</b>	
<b>Information Sought :</b>	<ol style="list-style-type: none"> <li>1. Please provide whether offices under of CBIC such as Sections in Commissioner/Chief Commissioner, Division office, Range Offices, Circle in case of Audit Commissionerate are equipped with Air Conditioner to counter extreme summer (Orange alert/yellow alert).</li> <li>2. Please provide details whether the Air Conditioners installed is energy efficient as per norms of BEE or obsolete.</li> <li>3. Please provide details of application received at HQ from Subordinate office and not approved to install Air Conditioners for offices which are not equipped with Air Conditioner or installed machine is not working.</li> <li>4. Please provide while installing Air Conditioner, whether outdoor unit is installed outside of the office or not.</li> <li>5. Please provide office building where Outdoor of Air Conditioner installed inside office premise and the same create extreme heating conditions for subordinate staff whose sitting space is not equipped with Air Conditioner.</li> <li>6. Please provide details of departmental action taken against such officers who has made other to sit and work in such inhumane condition.</li> <li>7. Please provide is there any guideline that who will supervise installation of Air Conditioner in office building.</li> <li>8. Please provide if any instance as requested @4 is noticed, what action is taken against officer who is supposed to supervise installation of Air Conditioner as per</li> </ol>		

@6.

I am an ordinary Indian Citizen and information requested above is required to ascertain working condition of staff/officers in offices of Central Government.

**Original RTI Text :**

1. Please provide whether offices under of CBIC such as Sections in Commissioner/Chief Commissioner, Division office, Range Offices, Circle in case of Audit Commissionerate are equipped with Air Conditioner to counter extreme summer (Orange alert/yellow alert).
2. Please provide details whether the Air Conditioners installed is energy efficient as per norms of BEE or obsolete.
3. Please provide details of application received at HQ from Subordinate office and not approved to install Air Conditioners for offices which are not equipped with Air Conditioner or installed machine is not working.
4. Please provide while installing Air Conditioner, whether outdoor unit is installed outside of the office or not.
5. Please provide office building where Outdoor of Air Conditioner installed inside office premise and the same create extreme heating conditions for subordinate staff whose sitting space is not equipped with Air Conditioner.
6. Please provide details of departmental action taken against such officers who has made other to sit and work in such inhumane condition.
7. Please provide is there any guideline that who will supervise installation of Air Conditioner in office building.
8. Please provide if any instance as requested @4 is noticed, what action is taken against officer who is supposed to supervise installation of Air Conditioner as per @6.

I am an ordinary Indian Citizen and information requested above is required to ascertain working condition of staff/officers in offices of Central Government.

Copy forwarded to:

14229 dt. 20/06/2023

1. The CPIO & Assistant Commissioner, CGST & CX, Office of the Principal Chief Commissioner Kolkata Zone w.r.t to his letter F. No. GCCO/RTI/APP/327/2023-O/o. Pr CC-CGST-ZONE-Kolkata/5870-81 dated 01.06.2023 for information.
- ✓ 2. The Superintendent (System) Kolkata Audit – I CGST & CX Commissionerate Kolkata along with copy of RTI Application for sending the same from official e-mail i.e. NIC/GOV mail of Kolkata Audit-I Commissionerate, CGST & CX to 1) [kolsouth.gst@gov.in](mailto:kolsouth.gst@gov.in) for further uploading to the Zonal Website i.e. 2) [cgstkolkata.gov.in](http://cgstkolkata.gov.in) 3) [apr8manish@gmail.com](mailto:apr8manish@gmail.com)

Arup Kumar Sarker  
20-06-23

अरूप कुमार सरकार

ARUP KUMAR SARKAR

केन्द्रीय कर अधीक्षक

SUPERINTENDENT OF CENTRAL TAX

कोलकाता ऑडिट - I - कमिश्नरेट, सीजीएसटी एवं सीएक्स आयुक्तालय, कोलकाता  
Kolkata Audit – I, CGST & CX Commissionerate, Kolkata